



## Concentrated mixed metal degreaser with added corrosion protection

### AQUASOLV Spray Wash Cleaner-Multi Metal VCI (Aqua 12VCI)

#### FEATURES/BENEFITS:

<b>Powerful</b>	Removes, oils, greases, swarf, dust & grime
<b>Efficient</b>	Highly concentrated, can be used effectively at low concentrations
<b>Corrosion Protection</b>	Can keep components rust-free for up to 3 months
<b>Non-Caustic</b>	Does not contain nitrites, silicates or phosphates
<b>Low Foaming</b>	Formulated to prevent excessive foaming even at high pressure
<b>Multi-surface Compatible</b>	Suitable for all Ferrous and Non-Ferrous metals
<b>Non-Staining</b>	Fully compatible with Brass, Copper, Aluminium

#### USE:

Spray Wash Cleaner-Multi-Metal VCI can be used at concentration between 2- 5% or up to 10% depending of level of soiling by spraywash, ultrasonic or agitated dip tanks. Recommended operating temperatures between 50-70°C. Components must be allowed to dry before storing to prevent VCI protection from being removed.

#### APPLICATIONS:

For use in high pressure spray equipment to remove oil, grease and swarf from ferrous & non-ferrous metals and plastic components in manufacturing, assembly & pre-paint operations with no staining to brass, aluminium or copper.

Contains a Vapour Corrosion Inhibitor (VCI) to protect metal components for up to 3 months in good storage conditions.

#### PRECAUTIONS:

*For further information see MSDS*

#### SPECIFICATIONS:

Form ..... Liquid  
Colour ..... Colourless to pale yellow  
Odour ..... Slightly detergent  
Melting Point..... Undetermined  
Boiling point..... 100°C  
Flashpoint: ..... Non applicable  
Density (20 °C) ..... 1,1 g/cm<sup>3</sup>  
Miscibility in water ..... Fully miscible  
pH (20 °C) ..... 7