

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.10.2020

Version: 1

Revision: 30.10.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** ZEP AEROSAN
- **Article number:** 70030001
- **UFI:** MJ71-40JY-G002-E723
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category** PC35 Washing and cleaning products (including solvent based products)
- **Process category** PROC11 Non industrial spraying
- **Environmental release category** ERC9a Widespread use of functional fluid (indoor)
- **Article category** AC30 Other articles with intended release of substances
- **Technical function** Cleaning agent
- **Application of the substance / the mixture**
Alcohol cleaner
Biocide
Cleaning agent/ Cleaner
Hand disinfectant
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
ZEP UK Ltd
Tanhouse Lane
Widnes Cheshire, WA8 0RD
United Kingdom
Tel: +44 (0)151 422 1000
Fax: +44 (0)151 422 1011
@: info@zep.co.uk
web: www.zep.co.uk
-
- ZEP Industries BV
Vierlingweg 30
4612 PN Bergen op Zoom
The Netherlands
Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117
Fax: (NL) + 31 164 266 710 (B) + 32 2 347 1395
@: info@zepbenelux.com
-
- ZEP ITALIA SRL
Piazzale Luigi Cadorna, 2 - Milano - (MI)
20123 Milano (MI) - Italy;
Via Nettunense Km. 25.000
04011 Aprilia (LT) - Italy
T: +39.06.926691
F: +39.06.92747061
@: tecnico@zepeurope.com
Sito: www.zep.it
- **Further information obtainable from:**
Customer Service
NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710
B: Tel: +32 2 347 0117 Fax: +32 2 347 1395
IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61
UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011
- **1.4 Emergency telephone number:** NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 24 (Scotland)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
Eye Irrit. 2 H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.10.2020

Version: 1

Revision: 30.10.2020

Trade name: ZEP AEROSAN

(Contd. of page 1)

Hazard pictograms



GHS02 GHS07

Signal word Danger

Hazard-determining components of labelling:

propan-2-ol

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3 Other hazards

Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description:

Aqua, Ethyl alcohol, Isopropyl alcohol, Dimethicone, Paraffinium liquidium, Methyl alcohol, Didecylidimmonium chloride.

Dangerous components:

CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol ⚠ Flam. Liq. 2, H225 ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	25-50%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol ⚠ Flam. Liq. 2, H225	25-50%
CAS: 68476-85-7 EINECS: 270-704-2	Petroleum gases, liquefied ⚠ Flam. Gas 1, H220 Press. Gas (Comp.), H280	10-25%

· **Ingredients according to Detergents Regulation 648/2004/EC** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After swallowing:** If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

5.3 Advice for firefighters

· **Protective equipment:** No special measures required.

GB

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.10.2020

Version: 1

Revision: 30.10.2020

Trade name: ZEP AEROSAN

(Contd. of page 2)

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:** Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
No special measures required.
No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:**
Do not spray onto a naked flame or any incandescent material.
Keep ignition sources away - Do not smoke.
Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Observe official regulations on storing packagings with pressurised containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

Ingredients with limit values that require monitoring at the workplace:

CAS: 67-63-0 propan-2-ol

WEL (Great Britain)	Short-term value: 1250 mg/m ³ , 500 ppm
	Long-term value: 999 mg/m ³ , 400 ppm

CAS: 64-17-5 ethanol

WEL (Great Britain)	Long-term value: 1920 mg/m ³ , 1000 ppm
---------------------	--

CAS: 68476-85-7 Petroleum gases, liquefied

WEL (Great Britain)	Short-term value: 2180 mg/m ³ , 1250 ppm
	Long-term value: 1750 mg/m ³ , 1000 ppm
	Carc (if LPG contains > 0.1% of buta-1.3-diene)

DNELs

CAS: 67-63-0 propan-2-ol

Oral	DNEL Long term-systemic	26 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	319 mg/kg human/day (consumer)
		888 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m ³	89 mg/m ³ (consumer)
		500 mg/m ³ (worker)

CAS: 64-17-5 ethanol

Oral	DNEL Long term-systemic	87 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	206 mg/kg human/day (consumer)
		343 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m ³	114 mg/m ³ (consumer)
		950 mg/m ³ (worker)
	DNEL Long term local mg/m ³	950 mg/m ³ (consumer)
		1,900 mg/m ³ (worker)

(Contd. on page 4)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.10.2020

Version: 1

Revision: 30.10.2020

Trade name: ZEP AEROSAN

(Contd. of page 3)

· **PNECs****CAS: 67-63-0 propan-2-ol**

PNEC Freshwater mg/L	140.9 mg/L
PNEC Marinewater mg/L	140.9 mg/L
PNEC Freshwater sediment	552 mg/Kg
PNEC Marine water sediment	552 mg/Kg
PNEC Intermittent release	140.9
PNEC Soil	28 mg/Kg

CAS: 64-17-5 ethanol

PNEC Freshwater mg/L	0.96 mg/L (-)
PNEC Marinewater mg/L	0.79 mg/L (-)
PNEC Freshwater sediment	3.6 mg/Kg (-)
PNEC Marine water sediment	2.9 mg/Kg (-)
PNEC Intermittent release	2.75 (-)
PNEC Soil	0.63 mg/Kg (-)
PNEC Sewage treatment Plant mg/L	580 mg/L (-)

· **Additional information:** The lists valid during the making were used as basis.· **8.2 Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes.

· **Respiratory protection:** Not required.· **Protection of hands:**· **Material of gloves** Not required.· **Penetration time of glove material** Not required.· **Eye protection:** Goggles recommended during refilling**SECTION 9: Physical and chemical properties**· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:**

Form:	Aerosol
Colour:	Colourless
Odour:	Alcohol-like
Odour threshold:	Not determined.

· **Change in condition****Melting point/freezing point:** Undetermined.**Initial boiling point and boiling range:** 78 °C· **Flash point:** <23 °C· **Flammability (solid, gas):** Not applicable.· **Decomposition temperature:** Not determined.· **Auto-ignition temperature:** Product is not selfigniting.· **Explosive properties:** Product does not present an explosion hazard.
Not determined.· **Explosion limits:****Lower:** 2 Vol %**Upper:** 15 Vol %· **Vapour pressure at 20 °C:** 59 hPa· **Density:** Not determined.· **Relative density** Not determined.· **Vapour density** Not determined.· **Evaporation rate** Not applicable.

(Contd. on page 5)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.10.2020

Version: 1

Revision: 30.10.2020

Trade name: ZEP AEROSAN

(Contd. of page 4)

· Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	70.0 %
Swiss VOC:	70.00 %
Solids content:	0.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

CAS: 67-63-0 propan-2-ol

Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	13,900 mg/kg (rab)
Inhalative	LC50 / 4 h	46-73 mg/l (Rat)
	LC50/ 8 h	12,000-19,000 mg/m3 (Rat)
	LC50 / 96 h	9,640 mg/ltr (fish)
		>1,400 mg/ltr (Lepomus gobbosus (Zonnebaars))
		6,550 mg/ltr (Pimephales promelas)
	EC50 / 24 h	>1,000 mg/ltr (Daphnia magna (water flea))
	EC 50 / 48 h	2,285-13,299 mg/ltr (Daphnia magna (water flea))

CAS: 64-17-5 ethanol

Oral	LD50	7,060 mg/kg (Rat)
Inhalative	LC50 / 4 h	20,000 mg/l (Rat)
	EC 50 / 48 h	10,800 mg/ltr (Daphnia magna (water flea))

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

GB

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.10.2020

Version: 1

Revision: 30.10.2020

Trade name: ZEP AEROSAN

(Contd. of page 5)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations



- **13.1 Waste treatment methods**
- **Recommendation** Disposal must be made according to official regulations

- **European waste catalogue**

HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

- **Uncleaned packaging:**
- **Recommendation:** Disposal in accordance with administrative provisions

SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN1950
- **14.2 UN proper shipping name**
- **ADR** 1950 AEROSOLS
- **IMDG** AEROSOLS
- **IATA** AEROSOLS, flammable
- **14.3 Transport hazard class(es)**
- **ADR**
- 
- **Class** 2.5F Gases.
- **Label** 2.1
- **IMDG, IATA**
- 
- **Class** 2.1
- **Label** 2.1
- **14.4 Packing group**
- **ADR, IMDG, IATA** Void
- **14.5 Environmental hazards:** Not applicable.
- **14.6 Special precautions for user** Warning: Gases.
- **Hazard identification number (Kemler code):** -
- **EMS Number:** F-D,S-U

(Contd. on page 7)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.10.2020

Version: 1

Revision: 30.10.2020

Trade name: ZEP AEROSAN

(Contd. of page 6)

· Stowage Code	SW1 Protected from sources of heat. SW2 Clear of living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· Transport category	2
· Tunnel restriction code	D
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Reg. (EC) n. 1272/2008 - CLP;
Reg. (EC) n. 1907/2006 – Reach;
Reg. (EC) n. 2015/830 annex II of REACH;
Reg. (EC) n. 648/04 (Detergents);
Reg. (EC) n. 528/12 (Biocides BPR);
Reg. (EC) n. 1223/2009 (Cosmetics);
Dir. 06/08 ADR – RID - IMDG - IATA;
Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III);
Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

· **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS02

GHS07

· **Signal word** Danger

· **Hazard-determining components of labelling:**

propan-2-ol

· **Hazard statements**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· **Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

(Contd. on page 8)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.10.2020

Version: 1

Revision: 30.10.2020

Trade name: ZEP AEROSAN

(Contd. of page 7)

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category P3a** FLAMMABLE AEROSOLS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
NK	70.0

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

· **Department issuing SDS:**

- Customer Service
- NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710
- B: Tel: +32 2 347 0117 Fax: +32 2 347 1395
- IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61
- UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Contact:**

- Customer Service
- NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710
- B: Tel: +32 2 347 0117 Fax: +32 2 347 1395
- IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61
- UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- WELL: The highest acceptable concentration
- IOELV: Indicative occupational exposure limit values
- Flam. Gas 1: Flammable gases – Category 1
- Aerosol 1: Aerosols – Category 1
- Press. Gas (Comp.): Gases under pressure – Compressed gas
- Flam. Liq. 2: Flammable liquids – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

GB

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.10.2020

Version: 1

Revision: 30.10.2020

Trade name: ZEP AEROSAN

(Contd. of page 8)

Annex: Exposure scenario

- **Short title of the exposure scenario** ZEP AEROSAN
- **Sector of Use** SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category** PC35 Washing and cleaning products (including solvent based products)
- **Process category** PROC11 Non industrial spraying
- **Article category** AC30 Other articles with intended release of substances
- **Environmental release category** ERC9a Widespread use of functional fluid (indoor)
- **Technical function** Cleaning agent
- **Description of the activities / processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.
- **Physical parameters**
- **Physical state** Aerosol
- **Concentration of the substance in the mixture** The substance is main component.
- **Used amount per time or activity** According to directions for use.
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting worker exposure**
Avoid contact with eyes.
Take precautionary measures against static discharge.
Keep away from sources of ignition - No smoking.
Indoor application.
- **Other operational conditions affecting consumer exposure** No special measures required.
- **Other operational conditions affecting consumer exposure during the use of the product** Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** Provide explosion-proof electrical equipment.
- **Personal protective measures**
Avoid contact with the eyes.
Tightly sealed goggles
- **Measures for consumer protection** Ensure adequate labelling.
- **Environmental protection measures**
- **Water** No special measures required.
- **Disposal measures** Disposal in accordance with administrative provisions
- **Disposal procedures** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.

GB