

**Safety data sheet**  
According to 1907/2006/EC, Article 31 REACH

Printing date 28.03.2018

Version: 4

Revision: 28.03.2018

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· **Trade name:** CAR & TRUCK TOUCH FREE DETERGENT

· **Article number:** 80420001

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Sector of Use**

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· **Product category** PC35 Washing and cleaning products (including solvent based products)

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

ZEP UK Ltd  
Tanhouse Lane  
Widnes Cheshire, WA8 0RR  
United Kingdom  
Tel: +44 (0)151 422 1000  
Fax: +44 (0)151 422 1011  
@: info@zep.co.uk  
web: www.zep.co.uk

ZEP Industries BV  
Vierlinghweg 30  
4612 PN Bergen op Zoom  
The Netherlands  
Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117  
Fax: (NL) + 31 164 266 710 (B) + 32 2 347 1395  
@: sales@zepbenelux.com

ZEP ITALIA SRL  
Via Netunese Km. 25.000  
04011 Aprilia (LT) - Italy  
Tel: +39.06.926691  
Fax: +39.06.92747061  
@: tecnico@zpeurope.com  
Sito: www.zep.it

· **Further information obtainable from:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **1.4 Emergency telephone number:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

**SECTION 2: Hazards identification**

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05

(Contd. on page 2)

GB

# Safety data sheet

## According to 1907/2006/EC, Article 31 REACH

Printing date 28.03.2018

Version: 4

Revision: 28.03.2018

**Trade name: CAR & TRUCK TOUCH FREE DETERGENT**

(Contd. of page 1)

- **Signal word** *Danger*

- **Hazard-determining components of labelling:**

2-aminoethanol

dodecylbenzenesulfonic acid

Alcohol ethoxylate C9 - C11

tetrasodium ethylenediaminetetraacetate

- **Hazard statements**

H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards** The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 85536-14-7 EINECS: 287-494-3 Reg.nr.: 01-2119490234-40-xxxx	dodecylbenzenesulfonic acid ⚠ Skin Corr. 1B, H314 ⚠ Acute Tox. 4, H302 ⚠ Aquatic Chronic 3, H412	2.5-5%
CAS: 141-43-5 EINECS: 205-483-3 Reg.nr.: 01-2119486455-28-xxxx	2-aminoethanol ⚠ Skin Corr. 1B, H314 ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335 ⚠ Aquatic Chronic 3, H412	2.5-5%
CAS: 68439-46-3 Polymer Reg.nr.: Polymer	Alcohol ethoxylate C9 - C11 ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312	2.5-5%
CAS: 64-02-8 EINECS: 200-573-9 Reg.nr.: 01-2119486762-27-xxxx	tetrasodium ethylenediaminetetraacetate ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302	2.5-5%
EC number: 701-037-1 Reg.nr.: 01-2119513350-56-xxxx	sodium xylene sulphonate ⚠ Eye Irrit. 2, H319	1-2.5%
CAS: 1310-73-2 EINECS: 215-185-5 Reg.nr.: 01-2119457892-27-xxxx	sodium hydroxide ⚠ Met. Corr. 1, H290; Skin Corr. 1A, H314 ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312	1-2.5%

- **Ingredients according to Detergents Regulation 648/2004/EC**

For the wording of the listed hazard phrases refer to section 16.

Anionic surfactants	≥5 - <15%
Nonionic surfactants, EDTA and salts thereof	<5%

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 3)

# Safety data sheet

## According to 1907/2006/EC, Article 31 REACH

Printing date 28.03.2018

Version: 4

Revision: 28.03.2018

Trade name: **CAR & TRUCK TOUCH FREE DETERGENT**

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, universal binders).  
Use neutralising agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

#### 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

#### 141-43-5 2-aminoethanol (2.5-5%)

WEL (Great Britain)	Short-term value: 7.6 mg/m <sup>3</sup> , 3 ppm Long-term value: 2.5 mg/m <sup>3</sup> , 1 ppm Sk
---------------------	---

IOELV (European Union)	Short-term value: 7.6 mg/m <sup>3</sup> , 3 ppm Long-term value: 2.5 mg/m <sup>3</sup> , 1 ppm Skin
------------------------	---

#### 1310-73-2 sodium hydroxide (1-2.5%)

WEL (Great Britain)	Short-term value: 2 mg/m <sup>3</sup>
---------------------	---------------------------------------

#### 111-76-2 2-butoxyethanol (0.1-1%)

WEL (Great Britain)	Short-term value: 246 mg/m <sup>3</sup> , 50 ppm Long-term value: 123 mg/m <sup>3</sup> , 25 ppm Sk, BMGV
---------------------	---

IOELV (European Union)	Short-term value: 246 mg/m <sup>3</sup> , 50 ppm Long-term value: 98 mg/m <sup>3</sup> , 20 ppm Skin
------------------------	--

(Contd. on page 4)

## Safety data sheet

### According to 1907/2006/EC, Article 31 REACH

Printing date 28.03.2018

Version: 4

Revision: 28.03.2018

Trade name: **CAR & TRUCK TOUCH FREE DETERGENT**

(Contd. of page 3)

**· DNELs****85536-14-7 dodecylbenzenesulfonic acid**

Oral	DNEL Long term-systemic	0.85 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	85 mg/kg human/day (consumer)
		170 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m3	3 mg/m3 (consumer)
		12 mg/m3 (worker)
	DNEL Long term local mg/m3	3 mg/m3 (consumer)
		12 mg/m3 (worker)

**64-02-8 tetrasodium ethylenediaminetetraacetate**

Oral	DNEL Long term-systemic	28 mg/kg human/day (consumer)
Inhalative	DNEL Acute-systemic mg/m3	1.7 mg/m3 (consumer)
		2.8 mg/m3 (worker)

**1310-73-2 sodium hydroxide**

Inhalative	DNEL Long term local mg/m3	1 mg/m3 (consumer)
		1 mg/m3 (worker)

**· PNECs****85536-14-7 dodecylbenzenesulfonic acid**

PNEC Freshwater mg/L	0.287 mg/L
PNEC Marinewater mg/L	0.0287 mg/L
PNEC Freshwater sediment	0.287 mg/Kg
PNEC Marine water sediment	0.287 mg/Kg
PNEC Intermittent release	0.0167 (mg/L)
PNEC Soil	35 mg/Kg
PNEC Sewage treatment Plant mg/L	3.43 mg/L

**64-02-8 tetrasodium ethylenediaminetetraacetate**

PNEC Freshwater mg/L	2.8 mg/L
PNEC Marinewater mg/L	0.28 mg/L
PNEC Intermittent release	1.6 (mg/L)
PNEC Soil	0.95 mg/Kg
PNEC Sewage treatment Plant mg/L	57 mg/L

**· Ingredients with biological limit values:****111-76-2 2-butoxyethanol (0.1-1%)**

BMGV (Great Britain)	240 mmol/mol creatinine
	Medium: urine
	Sampling time: post shift
	Parameter: butoxyacetic acid

· **Additional information:** The lists valid during the making were used as basis.

**· 8.2 Exposure controls****· Personal protective equipment:****· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes.  
 Avoid contact with the eyes and skin.

· **Respiratory protection:** Not required.

**· Protection of hands:**

Protective gloves

Rubber gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

GB

## Safety data sheet

### According to 1907/2006/EC, Article 31 REACH

Printing date 28.03.2018

Version: 4

Revision: 28.03.2018

**Trade name: CAR & TRUCK TOUCH FREE DETERGENT**

(Contd. of page 4)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Rubber gloves

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Not suitable are gloves made of the following materials:** Strong material gloves

· **Eye protection:**



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Fluid
· <b>Colour:</b>	According to product specification
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.

· **pH-value at 20 °C:** 12.5

· **Change in condition**

· **Melting point/freezing point:** Undetermined.

· **Initial boiling point and boiling range:** 100 °C

· **Flash point:** 210 °C

· **Flammability (solid, gas):** Not applicable.

· **Ignition temperature:** 310 °C

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

· **Lower:** Not determined.

· **Upper:** Not determined.

· **Vapour pressure at 20 °C:** 23 hPa

· **Density at 20 °C:** 1.05 g/cm<sup>3</sup>

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with water:**

Fully miscible.

· **Partition coefficient: n-octanol/water:** Not determined.

· **Viscosity:**

· **Dynamic:** Not determined.

· **Kinematic:** Not determined.

· **Solvent content:**

· **Organic solvents:** 4.3 %

· **Swiss VOC:** 0.50 %

· **Solids content:** 7.4 %

(Contd. on page 6)

# Safety data sheet

## According to 1907/2006/EC, Article 31 REACH

Printing date 28.03.2018

Version: 4

Revision: 28.03.2018

Trade name: CAR &amp; TRUCK TOUCH FREE DETERGENT

(Contd. of page 5)

· **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

##### 85536-14-7 dodecylbenzenesulfonic acid

Oral	LD50	1,470 mg/kg (Rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (Rat)
	LC50 / 96 h	>1-10 mg/ltr (Cyprinus Carpio) (OECD 203) >1-10 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish)) 1-10 mg/ltr (Brachydanio rerio)
	EC 50 / 48 h	>1-10 mg/ltr (Daphnia magna (water flea)) (OECD 202)
	EC 50 / 72 H	>10-100 (Desmodemus subspicatus) (mg/L OECD 201)

##### 141-43-5 2-aminoethanol

Oral	LD50	1,720 mg/kg (Rat)
Dermal	LD50	1,018 mg/kg (Rabbit)
	LC50 / 48 h	>200 mg/ltr (Lepomus gobbosus (Zonnebaars))
	EC 50 / 48 h	>100 mg/ltr (Daphnia magna (water flea))

##### 68439-46-3 Alcohol ethoxylate C9 - C11

Oral	LD50	1,400 mg/kg (Rat)
Dermal	LD50	2,000 mg/kg (Rat)

##### 64-02-8 tetrasodium ethylenediaminetetraacetate

Oral	LD50	1,560 mg/kg
Inhalative	LC50 / 4 h	>1,000 mg/ltr
	LC50 / 8 h	1,000-5,000 mg/m3 (Rat)
	LC50 / 96 h	>1,000 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish)) 33-189 mg/ltr (fish)
	EC 50 / 48 h	140 mg/ltr (Daphnia magna (water flea))
	EC 50 / 72 H	>300 (Desmodemus subspicatus) (mg/L)

##### 1310-73-2 sodium hydroxide

Oral	LD50	2,000 mg/kg (Rat)
Dermal	LD50	1,350 mg/kg (Rabbit)
	LC50 / 96 h	125 mg/ltr (Gambusia affinis)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)



# Safety data sheet

## According to 1907/2006/EC, Article 31 REACH

Printing date 28.03.2018

Version: 4

Revision: 28.03.2018

Trade name: CAR &amp; TRUCK TOUCH FREE DETERGENT

(Contd. of page 6)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Aquatic toxicity:

85536-14-7 dodecylbenzenesulfonic acid

OECD test 301 A &gt;70 (biodegradation in % after 28 days)

· **12.2 Persistence and degradability** No further relevant information available.

· **Other information:** The product is biodegradable.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

#### Additional ecological information:

##### General notes:

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

#### 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

· **Recommendation** Disposal must be made according to official regulations

#### Uncleaned packaging:

· **Recommendation:** Disposal in accordance with administrative provisions

### SECTION 14: Transport information

#### 14.1 UN-Number

· **ADR, IMDG, IATA**

UN1719

#### 14.2 UN proper shipping name

· **ADR**

1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, ETHANOLAMINE)

· **IMDG, IATA**

CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, ETHANOLAMINE)

#### 14.3 Transport hazard class(es)

· **ADR**



· **Class**

8 (C5) Corrosive substances.

(Contd. on page 8)

## Safety data sheet

According to 1907/2006/EC, Article 31 REACH


Printing date 28.03.2018

Version: 4

Revision: 28.03.2018

Trade name: **CAR & TRUCK TOUCH FREE DETERGENT**

(Contd. of page 7)

· <b>Label</b>	8
· <b>IMDG, IATA</b>	
	
· <b>Class</b>	8 Corrosive substances.
· <b>Label</b>	8
· <b>14.4 Packing group</b>	
· <b>ADR, IMDG, IATA</b>	III
· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Warning: Corrosive substances.
· <b>Danger code (Kemler):</b>	80
· <b>EMS Number:</b>	F-A,S-B
· <b>Segregation groups</b>	Alkalis
· <b>Stowage Category</b>	A
· <b>Segregation Code</b>	SG22 Stow "away from" ammonium salts SG35 Stow "separated from" acids.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, ETHANOLAMINE), 8, III

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;  
 Reg. (EC) n. 1907/2006 - Reach;  
 Reg. (EC) n. 2015/830 annex II of REACH;  
 Reg. (EC) n. 648/04 (Detergents);  
 Reg. (EC) n. 528/12 (Biocides BPR);  
 Reg. (EC) n. 1223/2009 (Cosmetics);  
 Dir. 06/08 ADR - RID - IMDG - IATA;  
 Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III);  
 Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

#### · Directive 2012/18/EU

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

#### · National regulations:

#### · Technical instructions (air):

Class	Share in %
NK	2.5-5

(Contd. on page 9)



# Safety data sheet

## According to 1907/2006/EC, Article 31 REACH

Printing date 28.03.2018

Version: 4

Revision: 28.03.2018

**Trade name: CAR & TRUCK TOUCH FREE DETERGENT**

(Contd. of page 8)

- **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H312 Harmful in contact with skin.  
 H314 Causes severe skin burns and eye damage.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H332 Harmful if inhaled.  
 H335 May cause respiratory irritation.  
 H412 Harmful to aquatic life with long lasting effects.

- **Department issuing SDS:**

Customer Service  
 NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710  
 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395  
 IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61  
 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

- **Contact:**

Customer Service  
 NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710  
 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395  
 IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61  
 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 ICAO: International Civil Aviation Organisation  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 DNEL: Derived No-Effect Level (REACH)  
 PNEC: Predicted No-Effect Concentration (REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Met. Corr. 1: Corrosive to metals – Category 1  
 Acute Tox. 4: Acute toxicity – Category 4  
 Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- **\* Data compared to the previous version altered.**