

**Safety data sheet**  
According to 1907/2006/EC, Article 31 REACH

Printing date 31.05.2017

Version: 4

Revision: 31.05.2017

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

· Trade name: **BRAKE WASH NEW**

· Article number: 02870001

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category PC35 Washing and cleaning products (including solvent based products)

· Process category

PROC7 Industrial spraying

PROC11 Non industrial spraying

· Application of the substance / the mixture Cleaning agent

**1.3 Details of the supplier of the safety data sheet**

· Manufacturer/Supplier:

ZEP UK Ltd  
Tanhouse Lane  
Widnes Cheshire, WA8 0RR  
United Kingdom  
Tel: +44 (0)151 422 1000  
Fax: +44 (0)151 422 1011  
@: info@zep.co.uk  
web: www.zep.co.uk

ZEP Industries BV  
Vierlingweg 30  
4612 PN Bergen op Zoom  
The Netherlands  
Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117  
Fax: (NL) + 31 164 266 710 (B) + 32 2 347 1395  
@: sales@zepbenelux.com

ZEP ITALIA SRL  
Via Netunese Km. 25.000  
04011 Aprilia (LT) - Italy  
Tel: +39.06.926691  
Fax: +39.06.92747061  
@: tecnico@zepeurope.com  
Sito: www.zep.it

· Further information obtainable from:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **1.4 Emergency telephone number:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

· Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

GB

## Safety data sheet

### According to 1907/2006/EC, Article 31 REACH

Printing date 31.05.2017

Version: 4

Revision: 31.05.2017

**Trade name: BRAKE WASH NEW**

(Contd. of page 1)

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02    GHS07    GHS09

- **Signal word** *Danger*
- **Hazard-determining components of labelling:**  
*heptane*  
*propan-2-ol*
- **Hazard statements**  
*H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.*  
*H315 Causes skin irritation.*  
*H336 May cause drowsiness or dizziness.*  
*H411 Toxic to aquatic life with long lasting effects.*
- **Precautionary statements**  
*P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*  
*P251 Do not pierce or burn, even after use.*  
*P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*  
*P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.*  
*P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.*  
*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **2.3 Other hazards** *The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** *Mixture of substances listed below with nonhazardous additions.*

- **Dangerous components:**

CAS: 142-82-5 EINECS: 205-563-8 Reg.nr.: 01-2119457603-38	<i>heptane</i>	<i>Flam. Liq. 2, H225</i> <i>Asp. Tox. 1, H304</i> <i>Aquatic Acute 1, H400; Aquatic Chronic 1, H410</i> <i>Skin Irrit. 2, H315; STOT SE 3, H336</i>	75-100%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-xxxx	<i>propan-2-ol</i>	<i>Flam. Liq. 2, H225</i> <i>Eye Irrit. 2, H319; STOT SE 3, H336</i>	5-10%
CAS: 124-38-9 EINECS: 204-696-9	<i>carbon dioxide</i>	<i>Press. Gas D, H280</i>	2.5-5%

- **Ingredients according to Detergents Regulation 648/2004/EC** *For the wording of the listed hazard phrases refer to section 16.*

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** *Immediately remove any clothing soiled by the product.*
- **After inhalation:** *In case of unconsciousness place patient stably in side position for transportation.*
- **After skin contact:**  
*If skin irritation continues, consult a doctor.*  
*Immediately wash with water and soap and rinse thoroughly.*  
*Immediately rinse with water.*
- **After swallowing:** *Seek immediate medical advice.*
- **4.2 Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

GB

(Contd. on page 3)

## Safety data sheet

### According to 1907/2006/EC, Article 31 REACH

Printing date 31.05.2017

Version: 4

Revision: 31.05.2017

Trade name: BRAKE WASH NEW

(Contd. of page 2)

#### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
- **Protective equipment:** Mount respiratory protective device.
- **Additional information** Cool endangered receptacles with water spray.

#### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

#### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:**  
Do not spray onto a naked flame or any incandescent material.  
Keep ignition sources away - Do not smoke.  
Keep respiratory protective device available.  
Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Observe official regulations on storing packagings with pressurised containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Protect from heat and direct sunlight.
- **7.3 Specific end use(s)** No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**142-82-5 heptane (75-100%)**

WEL (Great Britain) Long-term value: 2085 mg/m<sup>3</sup>, 500 ppm

IOELV (European Union) Long-term value: 2085 mg/m<sup>3</sup>, 500 ppm

**67-63-0 propan-2-ol (5-10%)**

WEL (Great Britain) Short-term value: 1250 mg/m<sup>3</sup>, 500 ppm

Long-term value: 999 mg/m<sup>3</sup>, 400 ppm

(Contd. on page 4)

## Safety data sheet

### According to 1907/2006/EC, Article 31 REACH

Printing date 31.05.2017

Version: 4

Revision: 31.05.2017

**Trade name: BRAKE WASH NEW**

(Contd. of page 3)

**124-38-9 carbon dioxide (2.5-5%)**

WEL (Great Britain) Short-term value: 27400 mg/m<sup>3</sup>, 15000 ppm  
Long-term value: 9150 mg/m<sup>3</sup>, 5000 ppm

IOELV (European Union) Long-term value: 9000 mg/m<sup>3</sup>, 5000 ppm

**64-17-5 ethanol (0.1-1%)**

WEL (Great Britain) Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

**· DNELs****67-63-0 propan-2-ol**

Oral	DNEL Long term-systemic	26 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	319 mg/kg human/day (consumer) 888 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m <sup>3</sup>	89 mg/m <sup>3</sup> (consumer) 500 mg/m <sup>3</sup> (worker)

**· PNECs****67-63-0 propan-2-ol**

PNEC Freshwater mg/L	140.9 mg/L
PNEC Marinewater mg/L	140.9 mg/L
PNEC Freshwater sediment	552 mg/Kg
PNEC Marine water sediment	552 mg/Kg
PNEC Intermittent release	140.9 mg/L
PNEC Soil	28 mg/Kg

· **Additional information:** The lists valid during the making were used as basis.

**· 8.2 Exposure controls****· Personal protective equipment:****· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the skin.  
Avoid contact with the eyes and skin.

· **Respiratory protection:** Filter AX

**· Protection of hands:**

Protective gloves

**· Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.  
The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Not suitable are gloves made of the following materials:** Strong material gloves

## SECTION 9: Physical and chemical properties

**· 9.1 Information on basic physical and chemical properties****· General Information****· Appearance:**

Form:	Aerosol
Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.

· **pH-value:** Not determined.

(Contd. on page 5)

## Safety data sheet

### According to 1907/2006/EC, Article 31 REACH

Printing date 31.05.2017

Version: 4

Revision: 31.05.2017

Trade name: BRAKE WASH NEW

(Contd. of page 4)

· <b>Change in condition</b> Melting point/freezing point: Undetermined. Initial boiling point and boiling range: 82 °C
· <b>Flash point:</b> < 0 °C
· <b>Flammability (solid, gas):</b> Not applicable.
· <b>Ignition temperature:</b> 215 °C
· <b>Decomposition temperature:</b> Not determined.
· <b>Auto-ignition temperature:</b> Product is not selfigniting.
· <b>Explosive properties:</b> Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· <b>Explosion limits:</b> Lower: 1.1 Vol % Upper: 6.7 Vol %
· <b>Vapour pressure at 20 °C:</b> 48 hPa
· <b>Density at 20 °C:</b> 0.717 g/cm <sup>3</sup> · <b>Relative density:</b> Not determined. · <b>Vapour density:</b> Not determined. · <b>Evaporation rate:</b> Not applicable.
· <b>Solubility in / Miscibility with water:</b> Insoluble.
· <b>Partition coefficient: n-octanol/water:</b> Not determined.
· <b>Viscosity:</b> Dynamic: Not determined. Kinematic: Not determined.
· <b>Solvent content:</b> Organic solvents: 97.3 % Swiss VOC: 97.30 %
· <b>9.2 Other information:</b> No further relevant information available.

#### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

##### LD/LC50 values relevant for classification:

##### 142-82-5 heptane

Oral	LD50	5000 mg/kg (Mouse) 5000 mg/kg (Rat)
Dermal	LD50	3000 mg/kg (Rabbit)
Inhalative	LC50 / 4 h	60 mg/ltr (Rat)
	LC50 / 48 h	4924 mg/ltr (fish)
	EC50 / 24 h	>10 mg/ltr (Daphnia magna (water flea))

##### 67-63-0 propan-2-ol

Oral	LD50	>5000 mg/kg (Rat)
------	------	-------------------

(Contd. on page 6)

## Safety data sheet

### According to 1907/2006/EC, Article 31 REACH

Printing date 31.05.2017

Version: 4

Revision: 31.05.2017

**Trade name: BRAKE WASH NEW**

(Contd. of page 5)

Dermal	LD50	6290 mg/kg (rab)
Inhalative	LC50 / 4 h	30 mg/ltr (Rat)
	LC50/ 8 h	12000-19000 mg/m <sup>3</sup> (Rat)
	LC50 / 96 h	9640 mg/ltr (fish)
		>1400 mg/ltr (Lepomus gobbosus (Zonnebaars))
	6550 mg/ltr (Pimephales promelas)	
EC50 / 24 h	>1000 mg/ltr (Daphnia magna (water flea))	
	EC 50 / 48 h	10000 mg/ltr (Pimephales promelas)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard**  
May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Disposal must be made according to official regulations

· <b>European waste catalogue</b>	
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 04	metallic packaging

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

GB

(Contd. on page 7)

**Safety data sheet**  
According to 1907/2006/EC, Article 31 REACH

Printing date 31.05.2017




Version: 4

Revision: 31.05.2017

Trade name: BRAKE WASH NEW

(Contd. of page 6)

**SECTION 14: Transport information**

· 14.1 UN-Number · ADR, IMDG, IATA	UN1950
· 14.2 UN proper shipping name · ADR · IMDG · IATA	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS AEROSOLS, MARINE POLLUTANT AEROSOLS, flammable
· 14.3 Transport hazard class(es) · ADR	
	
· Class · Label	2 5F Gases. 2.1
· IMDG	
	
· Class · Label	2.1 2.1
· IATA	
	
· Class · Label	2.1 2.1
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR):	Product contains environmentally hazardous substances: heptane Yes Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Code  · Segregation Code	Warning: Gases. - F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information: · ADR · Limited quantities (LQ) · Excepted quantities (EQ)  · Transport category	IL Code: E0 Not permitted as Excepted Quantity 2

(Contd. on page 8)

## Safety data sheet

### According to 1907/2006/EC, Article 31 REACH

Printing date 31.05.2017

Version: 4

Revision: 31.05.2017

**Trade name: BRAKE WASH NEW**

(Contd. of page 7)

· <b>Tunnel restriction code</b>	D
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	IL
· <b>Excepted quantities (EQ)</b>	Code: E0 Not permitted as Excepted Quantity
· <b>UN "Model Regulation":</b>	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

### SECTION 15: Regulatory information

#### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;  
 Reg. (EC) n. 1907/2006 – Reach;  
 Reg. (EC) n. 2015/830 annex II of REACH;  
 Reg. (EC) n. 648/04 (Detergents);  
 Reg. (EC) n. 528/12 (Biocides BPR);  
 Reg. (EC) n. 1223/2009 (Cosmetics);  
 Dir. 06/08 ADR – RID - IMDG - IATA;  
 Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III);  
 Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

#### · Directive 2012/18/EU

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

#### · Seveso category

E2 Hazardous to the Aquatic Environment  
 P3b FLAMMABLE AEROSOLS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

#### · National regulations:

#### · Technical instructions (air):

Class	Share in %
NK	75-100

· **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.  
 H280 Contains gas under pressure; may explode if heated.  
 H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.

#### · Department issuing SDS:

Customer Service  
 NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710  
 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395  
 IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61  
 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

#### · Contact:

Customer Service  
 NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710  
 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395  
 IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61  
 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

(Contd. on page 9)



**Safety data sheet**  
**According to 1907/2006/EC, Article 31 REACH**

Printing date 31.05.2017

Version: 4

Revision: 31.05.2017

**Trade name: BRAKE WASH NEW**

(Contd. of page 8)

**· Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*DNEL: Derived No-Effect Level (REACH)*

*PNEC: Predicted No-Effect Concentration (REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Aerosol 1: Aerosols – Category 1*

*Press. Gas D: Gases under pressure – Dissolved gas*

*Flam. Liq. 2: Flammable liquids – Category 2*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

*Asp. Tox. 1: Aspiration hazard – Category 1*

*Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1*

*Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*

*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

**· \* Data compared to the previous version altered.**

GB