

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name: **CAR & TRUCK TOUCH FREE DETERGENT**

Article number: 8042

1.2 Relevant identified uses of the substance or mixture and uses advised against**Sector of Use**

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

ZEP UK Ltd
PO Box 12 Tanhouse Lane
Widnes Cheshire, WA8 ORD
United Kingdom
Phone: +44 0151 422 1000
FAX: +44 0151 422 1011
@: info@zep.co.uk
web: www.zep.co.uk

ZEP Industries BV
Vierlinghweg 30
4612 PN Bergen op Zoom
The Netherlands
Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117
Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395
@: sales@zepbenelux.com

ZEP ITALIA SRL
Via Netunese Km. 25.000
04011 Aprilia (LT) - Italy
Tel: +39.06.926691
Fax: +39.06.92747061
@: tecnico@zepeurope.com
Sito: www.zep.it

Further information obtainable from:**Customer Service**

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

1.4 Emergency telephone number:**Customer Service**

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS05

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.06.2015

Version: 3

Revision: 24.06.2015

Trade name: CAR & TRUCK TOUCH FREE DETERGENT

(Contd. of page 1)

- **Signal word** Danger

- **Hazard-determining components of labelling:**

- dodecylbenzenesulfonic acid

- 2-aminoethanol

- Alcohol ethoxylate C9 - C11

- tetrasodium ethylenediaminetetraacetate

- **Hazard statements**

- H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

- P280 Wear protective gloves / eye protection.

- P264 Wash thoroughly after handling.

- P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards** The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 85536-14-7 EINECS: 287-494-3 Reg.nr.: 01-2119490234-40-xxxx	dodecylbenzenesulfonic acid ⚠ Skin Corr. 1B, H314 ⚠ Acute Tox. 4, H302	2.5-5%
CAS: 141-43-5 EINECS: 205-483-3 Reg.nr.: 01-2119486455-28-xxxx	2-aminoethanol ⚠ Skin Corr. 1B, H314 ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	2.5-5%
CAS: 68439-46-3 Polymer	Alcohol ethoxylate C9 - C11 ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312	2.5-5%
CAS: 64-02-8 EINECS: 200-573-9 Reg.nr.: 01-2119486762-27-xxxx	tetrasodium ethylenediaminetetraacetate ⚠ STOT RE 2, H373 ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332	2.5-5%
CAS: 1300-72-7 EINECS: 215-090-9 Reg.nr.: 01-2119513350-56	sodium xylene sulphonate ⚠ Eye Irrit. 2, H319	1-2.5%
CAS: 1310-73-2 EINECS: 215-185-5 Reg.nr.: 01-2119457892-27-xxxx	sodium hydroxide ⚠ Met. Corr.1, H290; Skin Corr. 1A, H314	1-2.5%

- **Ingredients according to Detergents Regulation 648/2004/EC**

- For the wording of the listed risk phrases refer to section 16.

Anionic surfactants	5 - 15%
Nonionic surfactants, EDTA and salts thereof	< 5%

SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

- If skin irritation continues, consult a doctor.

- Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.06.2015

Version: 3

Revision: 24.06.2015

Trade name: CAR & TRUCK TOUCH FREE DETERGENT

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

141-43-5 2-aminoethanol (2.5-5%)

WEL (Great Britain)	Short-term value: 7.6 mg/m ³ , 3 ppm Long-term value: 2.5 mg/m ³ , 1 ppm Sk
---------------------	---

IOELV (European Union)	Short-term value: 7.6 mg/m ³ , 3 ppm Long-term value: 2.5 mg/m ³ , 1 ppm Skin
------------------------	---

1310-73-2 sodium hydroxide (1-2.5%)

WEL (Great Britain)	Short-term value: 2 mg/m ³
---------------------	---------------------------------------

111-76-2 2-butoxyethanol (0.1-1%)

WEL (Great Britain)	Short-term value: 246 mg/m ³ , 50 ppm Long-term value: 123 mg/m ³ , 25 ppm Sk, BMGV
---------------------	---

(Contd. on page 4)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.06.2015

Version: 3

Revision: 24.06.2015

Trade name: CAR & TRUCK TOUCH FREE DETERGENT

(Contd. of page 3)

IOELV (European Union)	Short-term value: 246 mg/m ³ , 50 ppm Long-term value: 98 mg/m ³ , 20 ppm Skin
------------------------	--

· DNELs**85536-14-7 dodecylbenzenesulfonic acid**

Oral	DNEL Long term-systemic	0.85 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	85 mg/kg human/day (consumer)
Inhalative	DNEL Long term local mg/m ³	170 mg/kg human/day (worker)
		3 mg/m ³ (consumer)
	DNEL Long term-systemic mg/m ³	12 mg/m ³ (worker)
		3 mg/m ³ (consumer)
		12 mg/m ³ (worker)

64-02-8 tetrasodium ethylenediaminetetraacetate

Oral	DNEL Long term-systemic	28 mg/kg human/day (consumer)
Inhalative	DNEL Acute-systemic mg/m ³	1.7 mg/m ³ (consumer)
		2.8 mg/m ³ (worker)

1310-73-2 sodium hydroxide

Inhalative	DNEL Long term local mg/m ³	1 mg/m ³ (consumer)
		1 mg/m ³ (worker)

· PNECs**85536-14-7 dodecylbenzenesulfonic acid**

PNEC Freshwater mg/L	0.287 mg/L (-)
PNEC Freshwater sediment	0.287 mg/Kg (-)
PNEC Intermittent release	0.0167 (-) (mg/L)
PNEC Marine water sediment	0.287 mg/Kg (-)
PNEC Marinewater mg/L	0.0287 mg/L (-)
PNEC Sewage treatment Plant mg/L	3.43 mg/L (-)
PNEC Soil	35 mg/Kg (-)

64-02-8 tetrasodium ethylenediaminetetraacetate

PNEC Freshwater mg/L	2.8 mg/L (-)
PNEC Intermittent release	1.6 (-) (mg/L)
PNEC Marinewater mg/L	0.28 mg/L (-)
PNEC Sewage treatment Plant mg/L	57 mg/L (-)
PNEC Soil	0.95 mg/Kg (-)

· Ingredients with biological limit values:**111-76-2 2-butoxyethanol (0.1-1%)**

BMGV (Great Britain)	240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid
----------------------	---

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls**· Personal protective equipment:****· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

· **Respiratory protection:** Not required.

· Protection of hands:

Protective gloves

Rubber gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.06.2015

Version: 3

Revision: 24.06.2015

Trade name: CAR & TRUCK TOUCH FREE DETERGENT

(Contd. of page 4)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Rubber gloves

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Not suitable are gloves made of the following materials:** Strong material gloves

· **Eye protection:**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Fluid
· Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.

· **pH-value at 20 °C:** 12.5

· **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	100 °C

· **Flash point:** > 100 °C

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 310 °C

· **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapour pressure at 20 °C:** 23 hPa

· Density at 20 °C:	1.05 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.

· **Solubility in / Miscibility with water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· Dynamic:	Not determined.
· Kinematic:	Not determined.

· **Solvent content:**

· **Organic solvents:** 4.3 %

· **Solids content:** 7.4 %

· **9.2 Other information** No further relevant information available.

GB

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.06.2015

Version: 3

Revision: 24.06.2015

Trade name: CAR & TRUCK TOUCH FREE DETERGENT

(Contd. of page 5)

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values relevant for classification:****85536-14-7 dodecylbenzenesulfonic acid**

Oral	LD50	>300-2000 mg/kg (Rat) (OECD 401)
Dermal	LD50	>2000 mg/kg (Rat)
	EC 50 / 48 h	>1-10 mg/ltr (Daphnia magna (water flea)) (OECD 202)
	EC 50 / 72 H	>10-100 (Desmodesmus subspicatus) (mg/L OECD 201)
	LC50 / 96 h	>1-10 mg/ltr (Cyprinus Carpio) (OECD 203) >1-10 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish)) 1-10 mg/ltr (Brachydanio rerio)

141-43-5 2-aminoethanol

Oral	LD50	1720 mg/kg (Rat)
Dermal	LD50	1018 mg/kg (Rabbit)
	EC 50 / 48 h	> 100 mg/ltr (Daphnia magna (water flea))
	LC50 / 48 h	> 200 mg/ltr (Lepomus gobbosus (Zonnebaars))

68439-46-3 Alcohol ethoxylate C9 - C11

Oral	LD50	1400 mg/kg (Rat)
Dermal	LD50	2000 mg/kg (Rat)

64-02-8 tetrasodium ethylenediaminetetraacetate

Oral	LD50	1560 mg/kg (-)
Inhalative	LC50 / 4 h	>1000<5000 mg/ltr (-)
	EC 50 / 48 h	140 mg/ltr (Daphnia magna (water flea))
	EC 50 / 72 H	>300 (Desmodesmus subspicatus) (mg/L)
	LC50 / 96 h	>1000 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish)) 33-189 mg/ltr (fish)

1310-73-2 sodium hydroxide

Oral	LD50	2000 mg/kg (Rat)
Dermal	LD50	1350 mg/kg (Rabbit)
	LC50 / 96 h	125 mg/ltr (Gambusia affinis)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Strong caustic effect on skin and mucous membranes.
Caustic effect on skin and mucous membranes.
Irritant to skin and mucous membranes.
- **Serious eye damage/irritation** Strong caustic effect.
- **Respiratory or skin sensitisation** No sensitising effects known.

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

GB
(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.06.2015

Version: 3

Revision: 24.06.2015

Trade name: CAR & TRUCK TOUCH FREE DETERGENT

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

85536-14-7 dodecylbenzenesulfonic acid

OECD test 301 A >70 (biodegradation in % after 28 days)

· 12.2 Persistence and degradability

No further relevant information available.

· Other information:

The product is biodegradable.

· 12.3 Bioaccumulative potential

No further relevant information available.

· 12.4 Mobility in soil

No further relevant information available.

· Additional ecological information:

· General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· 12.5 Results of PBT and vPvB assessment

· PBT:

Not applicable.

· vPvB:

Not applicable.

· 12.6 Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation -

· Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, IMDG, IATA

UN1719

· 14.2 UN proper shipping name

· ADR

1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, ETHANOLAMINE)

· IMDG, IATA

CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, ETHANOLAMINE)

· 14.3 Transport hazard class(es)

· ADR



· Class

8 (C5) Corrosive substances.

· Label

8

· IMDG, IATA



· Class

8 Corrosive substances.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.06.2015

Version: 3

Revision: 24.06.2015

Trade name: CAR & TRUCK TOUCH FREE DETERGENT

(Contd. of page 7)

· Label	8
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups	Warning: Corrosive substances. 80 F-A,S-B Alkalis
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN1719, CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, ETHANOLAMINE), 8, III

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
NK	2,5-5

· **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

· **Department issuing MSDS:**

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

(Contd. on page 9)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 24.06.2015

Version: 3

Revision: 24.06.2015

Trade name: CAR & TRUCK TOUCH FREE DETERGENT

(Contd. of page 8)

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Contact:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Met. Corr.1: Corrosive to metals, Hazard Category 1

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

*** Data compared to the previous version altered.**

GB