



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.10.2014

Version: 3

Revision: 01.10.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **FORMULA 50 EU**

Article number: EU72204

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Application of the substance / the mixture Degreaser

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

ZEP UK Ltd
PO Box 12 Tanhouse Lane
Widnes Cheshire, WA8 0RD
United Kingdom
Phone: +44 0151 422 1000
FAX: +44 0151 422 1011
@: info@zep.co.uk
web: www.zep.co.uk

ZEP Industries BV
Vierlinghweg 30
4612 PN Bergen op Zoom
The Netherlands
Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117
Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395
@: sales@zepbenelux.com

ZEP ITALIA SRL
Via Netunese Km. 25.000
04011 Aprilia (LT) - Italy
Tel: +39.06.926691
Fax: +39.06.92747061
@: tecnico@zepeurope.com
Sito: www.zep.it

Further information obtainable from:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

1.4 Emergency telephone number:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R34: Causes burns.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.10.2014

Version: 3

Revision: 01.10.2014

Trade name: **FORMULA 50 EU**

(Contd. of page 1)

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**
sodium dodecylbenzenesulphonate, pure
tetrasodium ethylenediaminetetraacetate
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P363 Wash contaminated clothing before reuse.
P321 Specific treatment (see on this label).
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards** The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 25155-30-0 EINECS: 246-680-4	sodium dodecylbenzenesulphonate, pure Xn R22 Xi R38-41 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315	5-10%
CAS: 111-76-2 EINECS: 203-905-0 Reg.nr.: 01-2119475108-36	2-butoxyethanol Xn R20/21/22 Xi R36/38 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-5%
CAS: 1344-09-8 EINECS: 215-687-4 Reg.nr.: 01-2119448725-31-xxxx	Silicic acid, sodium salt Xi R36/38 Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-2.5%
CAS: 64-02-8 EINECS: 200-573-9 Reg.nr.: 01-2119486762-27-xxxx	tetrasodium ethylenediaminetetraacetate Xn R20/22 Xi R38-41 Eye Dam. 1, H318 Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315	1-2.5%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44-0000	2-(2-butoxyethoxy)ethanol Xi R36 Eye Irrit. 2, H319	1-2.5%

- **Ingredients according to Detergents Regulation 648/2004/EC**
For the wording of the listed risk phrases refer to section 16.

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.10.2014

Version: 3

Revision: 01.10.2014

Trade name: FORMULA 50 EU

(Contd. of page 2)

Nonionic surfactants

5 - 15%

EDTA and salts thereof, Anionic surfactants

< 5%

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility: Not required.
Further information about storage conditions: Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 4)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.10.2014

Version: 3

Revision: 01.10.2014

Trade name: FORMULA 50 EU

(Contd. of page 3)

· 8.1 Control parameters**· Ingredients with limit values that require monitoring at the workplace:****111-76-2 2-butoxyethanol (2.5-5%)**

WEL (Great Britain) Short-term value: 246 mg/m³, 50 ppm
Long-term value: 123 mg/m³, 25 ppm
Sk, BMGV

IOELV (European Union) Short-term value: 246 mg/m³, 50 ppm
Long-term value: 98 mg/m³, 20 ppm
Skin

112-34-5 2-(2-butoxyethoxy)ethanol (1-2.5%)

WEL (Great Britain) Short-term value: 101.2 mg/m³, 15 ppm
Long-term value: 67.5 mg/m³, 10 ppm

IOELV (European Union) Short-term value: 101.2 mg/m³, 15 ppm
Long-term value: 67.5 mg/m³, 10 ppm

· DNELs**64-02-8 tetrasodium ethylenediaminetetraacetate**

Oral DNEL Long term-systemic 28 mg/kg human/day (consumer)

Inhalative DNEL Acute-systemic mg/m³ 1.7 mg/m³ (consumer)
2.8 mg/m³ (worker)

112-34-5 2-(2-butoxyethoxy)ethanol

Dermal DNEL Long term-systemic 10 mg/kg human/day (consumer)
20 mg/kg human/day (worker)

Inhalative DNEL Acute-local mg/m³ 50.6 mg/m³ (consumer)
DNEL Long term local mg/m³ 34 mg/m³ (consumer)
67.5 mg/m³ (worker)
DNEL Long term-systemic mg/m³ 34 mg/m³ (consumer)
67.5 mg/m³ (worker)

· PNECs**64-02-8 tetrasodium ethylenediaminetetraacetate**

PNEC Freshwater mg/L 2.8 mg/L (-)

PNEC Intermittent release 1.6 (-) (mg/L)

PNEC Marinewater mg/L 0.28 mg/L (-)

PNEC Sewage treatment Plant mg/L 57 mg/L (-)

PNEC Soil 0.95 mg/Kg (-)

112-34-5 2-(2-butoxyethoxy)ethanol

PNEC Freshwater mg/L 1 mg/L (-)

PNEC Freshwater sediment 4 mg/Kg (-)

PNEC Intermittent release 3.9 (-)

PNEC Marine water sediment 0.4 mg/Kg (-)

PNEC Marinewater mg/L 0.1 mg/L (-)

PNEC Sewage treatment Plant mg/L 200 mg/L (-)

· Ingredients with biological limit values:**111-76-2 2-butoxyethanol (2.5-5%)**

BMGV (Great Britain) 240 mmol/mol creatinine
Medium: urine
Sampling time: post shift
Parameter: butoxyacetic acid

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls**· Personal protective equipment:****· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 5)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.10.2014

Version: 3

Revision: 01.10.2014

Trade name: FORMULA 50 EU

(Contd. of page 4)

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**



Protective gloves

Rubber gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Rubber gloves

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Not suitable are gloves made of the following materials:** Strong material gloves

· **Eye protection:**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Colour: Blue

· **Odour:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value at 20 °C:** >12

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 100 °C

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:**

Decomposition temperature: Not determined.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

· **Vapour pressure at 20 °C:** 23 hPa

· **Density at 20 °C:** 1,064 g/cm³

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with water:**

Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.10.2014

Version: 3

Revision: 01.10.2014

Trade name: FORMULA 50 EU

(Contd. of page 5)

· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	5.3 %
EU-VOC:	424.6 g/l
EU-VOC	5.26 %
Swiss VOC:	5.26 %
· Solids content:	
	5.2 %
· 9.2 Other information	
	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values relevant for classification:

111-76-2 2-butoxyethanol

Oral	LD50	470 mg/kg (Rat)
		320 mg/kg (Rabbit)
Dermal	LD50	400-500 mg/kg (rab)
		2270 mg/kg (Rat)
Inhalative	LC50 / 4 h	2.21 mg/ltr (Rat)
	LC50 / 48 h	1815 mg/ltr (Daphnia magna (water flea))
	LC50 / 96 h	1490 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish))

64-02-8 tetrasodium ethylenediaminetetraacetate

Oral	LD50	1560 mg/kg (-)
Inhalative	LC50 / 4 h	>1000<5000 mg/ltr (-)
	EC 50 / 48 h	140 mg/ltr (Daphnia magna (water flea))
	EC 50 / 72 H	>300 (Desmodesmus subspicatus) (mg/L)
	LC50 / 96 h	>1000 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish))
		33-189 mg/ltr (fish)

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	LD50	>2000 mg/kg (Rat)
Dermal	LD50	>2000 mg/kg (Rabbit)
	EC 50 / 48 h	>100 mg/ltr (Daphnia magna (water flea))
	EC 50 / 96 h	>100 mg/ltr (Selenastrum capricornutum (Algae))
	LC50 / 96 h	1300 mg/ltr (Lepomis Macrochirus (Bluegill Sunfish))

- **Primary irritant effect:**
- **on the skin:**
Strong caustic effect on skin and mucous membranes.
Caustic effect on skin and mucous membranes.
Irritant to skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 7)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.10.2014

Version: 3

Revision: 01.10.2014

Trade name: FORMULA 50 EU

(Contd. of page 6)

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

SECTION 12: Ecological information

12.1 Toxicity**Aquatic toxicity:****112-34-5 2-(2-butoxyethoxy)ethanol**

OECD test 301 E >70% (biodegradation in % after 28 days)

OECD test 302 B 100% (biodegradation in % after 28 days)

12.2 Persistence and degradability No further relevant information available.**Other information:** The product is biodegradable.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods**Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number**ADR, IMDG, IATA** UN3266**14.2 UN proper shipping name****ADR** 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
IMDG, IATA CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.**14.3 Transport hazard class(es)****ADR****Class** 8 (C5) Corrosive substances.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31


Printing date 01.10.2014

Version: 3

Revision: 01.10.2014

Trade name: FORMULA 50 EU

(Contd. of page 7)

· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	III
· ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Danger code (Kemler):	80
· EMS Number:	F-A,S-B
· Segregation groups	Alkalis
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., 8, III

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
NK	5-10

· **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

(Contd. on page 9)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.10.2014

Version: 3

Revision: 01.10.2014

Trade name: **FORMULA 50 EU**

(Contd. of page 8)

R20/22 Harmful by inhalation and if swallowed.
 R22 Harmful if swallowed.
 R36 Irritating to eyes.
 R36/38 Irritating to eyes and skin.
 R38 Irritating to skin.
 R41 Risk of serious damage to eyes.

· **Department issuing MSDS:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Contact:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1C: Skin corrosion/irritation, Hazard Category 1C

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

· *** Data compared to the previous version altered.**

GB